

Table of Contents

Volume 5: Compounds of Group 14 (Ge, Sn, Pb)

5.1	Product Class 1: Germanium Compounds	
5.1.1.8	Germanium Hydrides (2010) A. C. Spivey and C.-C. Tseng	
5.1.1.8	Germanium Hydrides	1
5.1.1.8.1	Method 1: Synthesis by Reduction of Germanium Halides	2
5.1.1.8.2	Method 2: Applications in Reduction of Organic Halides	2
5.1.1.8.3	Method 3: Applications in Hydrogermylation of C—C Multiple Bonds ...	3
5.1.1.8.4	Method 4: Applications with Acids and Bases	4
5.1.1.8.5	Method 5: Applications in Palladium(0)-Catalyzed Coupling Reactions ..	5
5.1.1.8.6	Method 6: Application as an Alternative to Tributyltin Hydride in Radical Chain Reactions	7
5.1.1.8.7	Method 7: Application as Precursors for Germyl Cation Generation	8
5.1.15.2	Germanium Cyanides (2010) A. C. Spivey and C.-C. Tseng	
5.1.15.2	Germanium Cyanides	11
5.1.15.2.1	Method 1: Synthesis from Halogermanes by Substitution with Trialkylsil- yl Cyanides	11
5.1.16.6	Acylgermanes (2010) A. C. Spivey and C.-C. Tseng	
5.1.16.6	Acylgermanes	15
5.1.16.6.1	Method 1: Synthesis from Germyl Enol Ethers by Hydrolysis	15
5.1.16.6.2	Method 2: Synthesis from α,α -Diheterosubstituted Germanes by Hydrolysis	16
5.1.16.6.3	Method 3: Synthesis from Terminal Alkynes by Carbonylation	17
5.1.16.6.4	Method 4: Application of Acylgermanes as Radical Acceptors	18
5.1.16.6.5	Method 5: Application of Acylgermanes as Amide Precursors	19
5.1.18.4	α-Halo- and α-Alkoxyvinylgermanes (2010) A. C. Spivey and C.-C. Tseng	
5.1.18.4	α-Halo- and α-Alkoxyvinylgermanes	21
5.1.18.4.1	Method 1: Synthesis of α -Alkoxyvinylgermanes from α -Metallovinyl Ethers by Substitution	21
5.1.18.4.2	Method 2: Synthesis of α -Halovinylgermanes from Alk-1-ynylgermanes by Hydro/Carbometalation–Halogenation	22

5.1.18.4.3	Method 3:	Synthesis of α -Halovinylgermanes from α -Halovinyl Sulfones by Radical-Mediated Desulfonylation	24
5.1.18.4.4	Method 4:	Application of α -Halovinylgermanes in Palladium-Catalyzed Cross Coupling with Organic Halides	25
5.1.19.7	α-Halo-, α-Hydroxy-, α-Alkoxy-, and α-Aminoalkylgermanes (2010)		
	A. C. Spivey and C.-C. Tseng		
5.1.19.7	α-Halo-, α-Hydroxy-, α-Alkoxy-, and α-Aminoalkylgermanes		27
5.1.19.7.1	Method 1:	Synthesis of α -Hetero- and α -Haloalkylgermanes from Halogermanes by Substitution	28
5.1.19.7.2	Method 2:	Synthesis by Interconversion of α -Hetero- and α -Haloalkylgermanes by Substitution	29
5.1.19.7.3	Method 3:	Synthesis of α -Hydroxylalkylgermanes from Hydroboration of Vinylgermanes	29
5.1.19.7.4	Method 4:	Synthesis of α -Aminoalkylgermanes by [3 + 2] Cycloaddition of Germanes to Imino Esters	30
5.1.19.7.5	Method 5:	Application of Lithiated α -Haloalkylgermanes in <i>gem</i> -Silylation/Borylation Reactions To Give Polymetalated Methanes	31
5.1.20.4	Alkynylgermanes (2010)		
	A. C. Spivey and C.-C. Tseng		
5.1.20.4	Alkynylgermanes		35
5.1.20.4.1	Method 1:	Synthesis from Halogermanes by Substitution	36
5.1.20.4.2	Method 2:	Synthesis from Group 14 Metalloalkynyls by Metathesis with Alkenylgermanes	36
5.1.20.4.3	Method 3:	Synthesis by Substitution with Aminogermanes	37
5.1.20.4.4	Method 4:	Synthesis by Elimination of α -Alkoxyalkenylgermanes	37
5.1.20.4.5	Method 5:	Applications of Alkynylgermanes as Protecting Groups	38
5.1.20.4.6	Method 6:	Applications of Alkynylgermanes in Palladium(0)-Catalyzed Cross-Coupling Reactions	39
5.1.22.6	Aryl- and Heteroarylgermanes (2010)		
	A. C. Spivey and C.-C. Tseng		
5.1.22.6	Aryl- and Heteroarylgermanes		41
5.1.22.6.1	Method 1:	Synthesis from Halogermanes by Substitution with Arylmetals	41
5.1.22.6.1.1	Variation 1:	Using Preformed Arylmetals	41
5.1.22.6.1.2	Variation 2:	Using Barbier-Type Reactions	41
5.1.22.6.2	Method 2:	Synthesis from Aryl Halides by Palladium(0)-Mediated Coupling with Germanium Hydrides	42
5.1.22.6.3	Method 3:	Synthesis from Arylstannanes by Transmetalation with Germanium(IV) Chloride	42
5.1.22.6.4	Method 4:	Synthesis of Aryl- and Heteroarylgermanes by Cycloaddition	43
5.1.22.6.5	Method 5:	Applications of Arylgermanes as Linkers for Solid-Phase Synthesis	44

5.1.22.6.6	Method 6: Applications of Arylgermanes in Palladium(0)-Catalyzed Cross-Coupling Reactions	44
5.1.23.6	Vinylgermanes (2010) A. C. Spivey and C.-C. Tseng	
5.1.23.6	Vinylgermanes	49
5.1.23.6.1	Method 1: Synthesis from Vinylolithium and Vinyl Grignard Reagents by Transmetalation with Halogermanes	49
5.1.23.6.2	Method 2: Synthesis from Alkynes by Hydro-, Hetero-, and Metallogermylation	50
5.1.23.6.2.1	Variation 1: By Hydrogermylation	50
5.1.23.6.2.2	Variation 2: By Palladium(0)-Mediated Germylation	51
5.1.23.6.2.3	Variation 3: By Metallogermylation	52
5.1.23.6.3	Method 3: Synthesis from Vinylgermanes by Ruthenium-Catalyzed Metathesis	53
5.1.23.6.4	Method 4: Applications in Palladium(0)-Catalyzed Cross Coupling of-Organic Halides	54
5.1.24.4	Propargyl- and Allenylgermanes (2010) A. C. Spivey and C.-C. Tseng	
5.1.24.4	Propargyl- and Allenylgermanes	59
5.1.24.4.1	Method 1: Synthesis of Propargyl- and Allenylgermanes by Substitution ..	59
5.1.24.4.2	Method 2: Application of Allenylgermanes in [2 + 2]-Cycloaddition Reactions with Imino Esters	60
5.1.25.3	Benzylgermanes (2010) A. C. Spivey and C.-C. Tseng	
5.1.25.3	Benzylgermanes	63
5.1.25.3.1	Method 1: Synthesis from Halogermanes by Substitution with Benzylmetals	64
5.1.25.3.2	Method 2: Application in Palladium(0)-Catalyzed Cross Coupling	65
5.1.26.6	Allylgermanes (2010) A. C. Spivey and C.-C. Tseng	
5.1.26.6	Allylgermanes	69
5.1.26.6.1	Method 1: Synthesis from Halogermanes by Substitution with Allylmetals	70
5.1.26.6.2	Method 2: Synthesis from Allyl Halides or Dienes by Germylene Insertion	71
5.1.26.6.3	Method 3: Synthesis from Allyl Halides by Palladium(0)-Mediated Coupling with Metallogermanes	71
5.1.26.6.4	Method 4: Synthesis from 3,4-Epoxy-pent-1-enes by Germyl Radical Addition	73

5.1.27.4	Alkylgermanes 2010	
	A. C. Spivey and C.-C. Tseng	
<hr/>		
5.1.27.4	Alkylgermanes	77
5.1.27.4.1	Method 1: Synthesis from Halogermanes by Substitution with Alkylmetals	78
5.1.27.4.2	Method 2: Synthesis from Alkenes by Hydrogermylation	78

Volume 9: Fully Unsaturated Small Ring Heterocycles and Monocyclic Five-Membered Heteroarenes with One Heteroatom

9.11	Product Class 11: Selenophenes	
<hr/>		
9.11.4	Selenophenes 2010	
	J. Schatz and M. Seßler	
<hr/>		
9.11.4	Selenophenes	81
9.11.4.1	Synthesis by Ring-Closure Reactions	81
9.11.4.1.1	By Formation of Two Se—C Bonds and One C—C Bond	81
9.11.4.1.1.1	Fragments C—C—C, C, and Se	81
9.11.4.1.1.1.1	Method 1: From Ketene Dithioacetals and Sodium Selenide	81
9.11.4.1.1.1.2	Method 2: From β -Chloroacrylonitriles and Sodium Selenide	83
9.11.4.1.1.2	Fragments C—C, C—C, and Se	84
9.11.4.1.1.2.1	Method 1: From Diphosphorylacetylene and Sodium Hydroselenide	84
9.11.4.1.2	By Formation of Two Se—C Bonds	85
9.11.4.1.2.1	Fragments C—C—C—C and Se	85
9.11.4.1.2.1.1	Method 1: Reaction of C ₄ Building Blocks with Sources of Selenium	85
9.11.4.1.2.1.1.1	Variation 1: Reaction of Conjugated 1,3-Dienes with Selenium Dioxide	85
9.11.4.1.3	By Formation of One Se—C Bond	86
9.11.4.1.3.1	Fragment Se—C—C—C	86
9.11.4.1.3.1.1	Method 1: Electrophilic Cyclization of Z-Selanylenynes	86
9.11.4.1.3.1.1.1	Variation 1: Reaction with Butyltellurium Tribromide	86
9.11.4.1.3.1.1.2	Variation 2: Reaction with Other Electrophiles	86
9.11.4.1.3.1.1.3	Variation 3: Copper(I) Iodide Catalyzed Cyclization	88
9.11.4.1.4	By Formation of One C—C Bond	88
9.11.4.1.4.1	Fragment C—C—C—Se—C	88
9.11.4.1.4.1.1	Method 1: Cyclization of a Dipropargyl Selenide	88
9.11.4.2	Synthesis by Ring Transformation	89

9.11.4.2.1	Method 1: Thermal Decomposition of Selenadiazoles in the Presence of Arylacetylenes	89
9.11.4.2.2	Method 2: Formal Exchange of Magnesium with Selenium	90
9.11.4.3	Synthesis by Substituent Modification	91
9.11.4.3.1	Substitution of Metals	91
9.11.4.3.1.1	Method 1: Substitution Reactions Involving Organoboron Derivatives	91
9.11.4.3.2	Substitution of Heteroatoms	91
9.11.4.3.2.1	Method 1: Substitution of Halogens by Lithium	91
9.11.4.3.2.2	Method 2: Metal-Assisted Cross Coupling of Haloselenophenes	93
9.11.4.3.2.2.1	Variation 1: Coupling with Alkynes	93
9.11.4.3.2.2.2	Variation 2: Coupling with Alcohols	94
9.11.4.3.2.2.3	Variation 3: Coupling with Thiols	95
9.12	Product Class 12: Tellurophenes	
9.12.3	Tellurophenes 2010 J. Schatz and M. Seßler	
9.12.3	Tellurophenes	99
9.12.3.1	Synthesis by Ring-Closure Reactions	100
9.12.3.1.1	By Formation of Two Te—C Bonds	100
9.12.3.1.1.1	Fragments C—C—C and Te	100
9.12.3.1.1.1.1	Method 1: Reaction of C ₄ Building Blocks with Sources of Tellurium	100
9.12.3.1.1.1.1.1	Variation 1: Reaction of 2,3-Dimethoxybuta-1,3-diene with Tellurium Dichloride	100
9.12.3.1.1.1.1.2	Variation 2: Reaction of In Situ Generated Sodium Telluride and Buta-1,3-diyne	100
9.12.3.1.1.1.1.3	Variation 3: Reaction of 1,4-Diphenylbuta-1,3-diyne with Diethyl Ditelluride	101
9.12.3.1.2	By Formation of One Te—C Bond	102
9.12.3.1.2.1	Fragment Te—C—C—C	102
9.12.3.1.2.1.1	Method 1: Cyclization of 1-(Alkyltellanyl)but-1-en-3-yne	102
9.12.3.1.2.1.1.1	Variation 1: Reaction with Butyltellurium Tribromide	102
9.12.3.1.2.1.1.2	Variation 2: Reaction with a Copper(I) Iodide Catalyst	103
9.12.3.2	Synthesis by Substituent Modification	103
9.12.3.2.1	Substitution of Metals	103
9.12.3.2.1.1	Method 1: Substitution Reactions Involving Organostannanes	103
9.12.3.2.1.2	Method 2: Substitution Reactions Involving Organoboron Derivatives	105
9.12.3.2.2	Substitution of Heteroatoms	105
9.12.3.2.2.1	Method 1: Metal-Assisted Cross Coupling of Halotellurophenes with Alkynes	105

Volume 11: Five-Membered Heteroarenes with One Chalcogen and One Additional Heteroatom

11.9	Product Class 9: Isoxazoles	
11.9.5	Isoxazoles P. Margaretha	2010
11.9.5	Isoxazoles	109
11.9.5.1	Synthesis by Ring-Closure Reactions	109
11.9.5.1.1	By Formation of Two Heteroatom—Carbon Bonds and One C—C Bond	109
11.9.5.1.1.1	Fragments C—C, N—O, and C	109
11.9.5.1.1.1.1	Method 1: One-Pot Four-Component Coupling	109
11.9.5.1.2	By Formation of Two Heteroatom—Carbon Bonds	109
11.9.5.1.2.1	Fragments C—C—C and N—O	109
11.9.5.1.2.1.1	Method 1: Synthesis of Hydroxyisoxazoles and Isoxazolones by Reactions of Hydroxylamine with 3-Oxo Esters and 1,3-Diesters	110
11.9.5.1.2.1.2	Method 2: By Reactions of Hydroxylamine with α,β -Unsaturated Carbonyl Compounds	111
11.9.5.1.3	By Formation of One Heteroatom—Carbon and One C—C Bond	112
11.9.5.1.3.1	Fragments O—N—C and C—C	112
11.9.5.1.3.1.1	Method 1: From Nitrile Oxides and Alkynes	112
11.9.5.1.3.1.1.1	Variation 1: Using Terminal Alkynes	112
11.9.5.1.3.1.1.2	Variation 2: Using Disubstituted Alkynes	117
11.9.5.1.3.1.2	Method 2: By Cycloaddition of Nitrile Oxides to C=C Bonds, Accom- panied by Elimination or Dehydration	120
11.9.5.1.3.1.2.1	Variation 1: Reactions with Enols and Enolates	120
11.9.5.1.3.1.2.2	Variation 2: Reactions with Other Dipolarophiles	121
11.9.5.1.3.1.3	Method 3: Coupling of an Electron-Deficient Alkyne with a Nitroacetate ..	123
11.9.5.1.3.2	Fragments O—N—C—C and C	124
11.9.5.1.3.2.1	Method 1: From Dianions Derived from Oximes	124
11.9.5.1.3.2.1.1	Variation 1: Reactions of Oxime-Derived Dianions with Esters	124
11.9.5.1.4	By Formation of One Heteroatom—Heteroatom Bond	125
11.9.5.1.4.1	Fragment O—C—C—C—N	125
11.9.5.1.4.1.1	Method 1: Light-Induced Cycloaddition of 2-Cyanocycloalk-2-enones to Alkenes	125
11.9.5.1.5	By Formation of One Heteroatom—Carbon Bond	125
11.9.5.1.5.1	Fragment O—N—C—C—C	125
11.9.5.1.5.1.1	Method 1: Oxidative Cyclization of α,β -Unsaturated Oximes	125
11.9.5.1.5.1.2	Method 2: Electrophilic Cyclization of Alkynyl O-Methyloximes	126

11.9.5.1.5.1.3	Method 3: Cyclization of 3-Oximinocarbonitriles	127
11.9.5.1.6	By Formation of One C—C Bond	128
11.9.5.1.6.1	Fragment C—O—N—C—C	128
11.9.5.1.6.1.1	Method 1: Cyclization of <i>O</i> -(β-Oxoalkyl)-Substituted α-(Hydroxyimino)nitriles	128
11.9.5.2	Synthesis by Substituent Modification	129
11.9.5.2.1	Substitution of Existing Substituents	129
11.9.5.2.1.1	Of Halogens	129
11.9.5.2.1.1.1	By Carbofunctional Groups	129
11.9.5.2.1.1.1.1	Method 1: By Palladium-Catalyzed Cross Coupling	129

11.10 Product Class 10: 1,2-Benzisoxazoles and Related Compounds

11.10.5	1,2-Benzisoxazoles and Related Compounds	2010
	S. Härtinger	
11.10.5	1,2-Benzisoxazoles and Related Compounds	133
11.10.5.1	Synthesis by Ring-Closure Reactions	133
11.10.5.1.1	By Annulation to an Arene	133
11.10.5.1.1.1	By Formation of One O—C and One C—C Bond	133
11.10.5.1.1.1.1	Method 1: By 1,3-Dipolar Cycloaddition to Naphthoquinones	133
11.10.5.1.1.2	By Formation of One O—N Bond	134
11.10.5.1.1.2.1	Method 1: By Cyclization of 2-Hydroxyaryl Ketoximes and Aldoximes	134
11.10.5.1.1.2.2	Method 2: By Cyclization of <i>N</i> ,2-Dihydroxybenzamides	135
11.10.5.1.1.3	By Formation of One O—C Bond	136
11.10.5.1.1.3.1	Method 1: By Cyclization of 2-Haloaryl Ketoximes	136
11.10.5.1.2	By Annulation to the Isoxazole Ring	137
11.10.5.1.2.1	Method 1: Cycloaddition to Isoxazoles	137
11.10.5.1.2.2	Method 2: Epoxide Ring Opening and Cyclization	138
11.10.5.1.2.3	Method 3: Annulation of a Hetarene	139
11.10.5.1.2.4	Method 4: Coupling of Diarylisoxazoles	141
11.10.5.2	Synthesis by Ring Transformation	142
11.10.5.2.1	Method 1: Rearrangement of Sultone Oximes	142
11.10.5.3	Aromatization	143
11.10.5.3.1	Method 1: Oxidative Aromatization of 4,5-Dihydro-1,2-benzisoxazoles	143
11.10.5.3.2	Method 2: Aromatization by Dehydrohalogenation	144
11.10.5.3.3	Method 3: Aromatization by Cleavage of <i>N</i> -Protected 2,3-Dihydro-1,2-benzisoxazoles	145
11.10.5.3.4	Method 4: Aromatization of Rings Fused to Isoxazoles	146
11.10.5.4	Synthesis by Substituent Modification	147

11.10.5.4.1	Substitution of Existing Substituents	148
11.10.5.4.1.1	Of Hydrogen	148
11.10.5.4.1.1.1	Method 1: Halogenation	148
11.10.5.4.1.2	Of Heteroatoms	149
11.10.5.4.1.2.1	Method 1: Substitution with Formation of a C—C Bond	149
11.13	Product Class 13: Benzoxazoles and Other Annulated Oxazoles 2010 M. Schnürch, J. Hämmerle, and P. Stanetty	
11.13	Product Class 13: Benzoxazoles and Other Annulated Oxazoles	153
11.13.1	Synthesis by Ring-Closure Reactions	154
11.13.1.1	By Annulation to an Arene	154
11.13.1.1.1	By Formation of One O—C and One N—C Bond	154
11.13.1.1.1.1	Fragment O—C—C—N	154
11.13.1.1.1.1.1	Method 1: Synthesis from 2-Hydroxybenzoic Acids, Amides, or Azides ..	154
11.13.1.1.1.1.2	Method 2: Synthesis from 1-(2-Hydroxyphenyl)alkanone Oximes and Derivatives Thereof (Beckmann Rearrangement)	155
11.13.1.1.1.2	Fragments O—C—C—N and C	157
11.13.1.1.1.2.1	Method 1: Synthesis from 2-Nitrophenols and Carbonic Acid Derivatives or Aldehydes	157
11.13.1.1.1.2.2	Method 2: Synthesis from 2-Aminophenols and Carbonic Acid Deriva- tives	159
11.13.1.1.1.2.2.1	Variation 1: Synthesis of 2-Alkoxybenzoxazoles or Benzoxazol-2(3 <i>H</i>)-ones	159
11.13.1.1.1.2.2.2	Variation 2: Synthesis of Benzoxazole-2(3 <i>H</i>)-thiones	162
11.13.1.1.1.2.2.3	Variation 3: Synthesis of Benzoxazol-2-amines	163
11.13.1.1.1.2.3	Method 3: Synthesis from 2-Aminophenols and Carboxylic Acid Deriva- tives	164
11.13.1.1.1.2.3.1	Variation 1: Using (Trihalomethyl)arenes or Carboxylic Acid Ortho Esters	164
11.13.1.1.1.2.3.2	Variation 2: Using Carboxylic Acids	165
11.13.1.1.1.2.3.3	Variation 3: Using Carboxylic Acid Chlorides	169
11.13.1.1.1.2.3.4	Variation 4: Using Carboxylic Acid Anhydrides or Imidates	170
11.13.1.1.1.2.3.5	Variation 5: Using Carboxamides	171
11.13.1.1.1.2.3.6	Variation 6: Using Nitriles	173
11.13.1.1.1.2.3.7	Variation 7: Using Carbon Monoxide and Aryl Halides	173
11.13.1.1.1.2.3.8	Variation 8: Using Isocyanides	174
11.13.1.1.1.2.4	Method 4: Synthesis from 2-Aminophenols and Aldehydes	175
11.13.1.1.1.2.5	Method 5: Synthesis from 2-Aminophenols and Alcohols	175
11.13.1.1.1.3	Fragments C—C and N—C—O	176
11.13.1.1.1.3.1	Method 1: Synthesis from 1,2-Dihaloarenes and Carboxamides	176
11.13.1.1.1.4	Fragments C—C—N and C—O	177
11.13.1.1.1.4.1	Method 1: Synthesis from 2-Bromoanilines and Carboxylic Acid Chlorides	177
11.13.1.1.2	By Formation of One C—O Bond	178
11.13.1.1.2.1	Fragment C—C—N—C—O	178

11.13.1.1.2.1.1	Method 1: Synthesis from <i>N</i> -(2-Haloaryl)carboxamides	178
11.13.1.1.2.1.2	Method 2: Synthesis from <i>N</i> -(3-Halophenyl)carboxamides	181
11.13.1.1.2.2	Fragment O—C—C—N—C	182
11.13.1.1.2.2.1	Method 1: Synthesis from <i>N</i> -(2-Hydroxyphenyl)ureas	182
11.13.1.1.2.2.2	Method 2: Synthesis from <i>N</i> -(2-Hydroxyphenyl)thioureas	183
11.13.1.1.2.2.3	Method 3: Synthesis from <i>N</i> -(2-Hydroxyphenyl)carboxamides	184
11.13.1.1.2.2.4	Method 4: Synthesis from 2-(Alkylidenamino)phenols	186
11.13.1.2	By Annulation to the Heterocyclic Ring	188
11.13.2	Synthesis by Ring Transformation	189
11.13.2.1	Method 1: Ring Contraction of 1,4-Benzoxazines	189
11.13.3	Synthesis by Substituent Modification	190
11.13.3.1	Substitution of Existing Substituents	190
11.13.3.1.1	Of Hydrogen	190
11.13.3.1.1.1	Method 1: Lithiation	190
11.13.3.1.1.2	Method 2: Arylation	191
11.13.3.1.1.3	Method 3: Halogenation	192
11.13.3.1.1.4	Method 4: Sulfanylation	193
11.13.3.1.1.5	Method 5: Nitration	194
11.13.3.1.1.6	Method 6: Amination	194
11.13.3.1.2	Of Metals	194
11.13.3.1.2.1	Method 1: Cross-Coupling Reactions	194
11.13.3.1.3	Of Halogen	195
11.13.3.1.3.1	Method 1: Cyanation of 2-Chlorobenzoxazoles	195
11.13.3.1.3.2	Method 2: Fluorination of 2-Chlorobenzoxazoles	196
11.13.3.1.3.3	Method 3: Alkoxy- or Aryloxylation of 2-Halobenzoxazoles	196
11.13.3.1.3.4	Method 4: Amination of 2-Chlorobenzoxazoles	196
11.13.3.1.4	Of Oxygen	197
11.13.3.1.4.1	Method 1: Thionation of Benzoxazol-2(3 <i>H</i>)-ones	197
11.13.3.1.5	Of Sulfur	197
11.13.3.1.5.1	Method 1: Chlorination of Benzoxazole-2(3 <i>H</i>)-thiones	197
11.13.3.1.5.2	Method 2: Alkoxylation of Benzoxazole-2(3 <i>H</i>)-thiones	198
11.13.3.1.5.3	Method 3: Amination of Benzoxazole-2(3 <i>H</i>)-thiones	199
11.13.3.2	Addition Reactions	199
11.13.3.2.1	Method 1: Synthesis of 3-Alkylbenzoxazolium Salts	199
11.13.3.3	Modification of Substituents	200
11.13.3.3.1	Method 1: <i>S</i> -Alkylation of Benzoxazole-2(3 <i>H</i>)-thiones	200
11.13.3.3.2	Method 2: <i>N</i> -Alkylation of Benzoxazol-2-amines	201

11.15	Product Class 15: Isothiazoles	
11.15.4	Isothiazoles	2010
	M. Sainsbury	
11.15.4	Isothiazoles	207
11.15.4.1	Synthesis by Ring-Closure Reactions	209
11.15.4.1.1	By Formation of One S—C and One N—C Bond	209
11.15.4.1.1.1	Method 1: By Cycloaddition of Thiazyl Chloride to a Furan or a Pyrrole ..	209
11.15.4.1.1.1.1	Variation 1: By Addition of Thiazyl Chloride to a Furan	209
11.15.4.1.1.2	Method 2: By 1,3-Dipolar Cycloaddition of Nitrile Sulfides to Alkynes and Alkenes	212
11.15.4.1.1.2.1	Variation 1: From 1,3,4-Oxathiazol-2-ones	212
11.15.4.1.1.2.2	Variation 2: From Difluoro(imino)- λ^4 -sulfanes	213
11.15.4.1.2	By Formation of One S—N Bond	213
11.15.4.1.2.1	Method 1: By Oxidative Ring Closure of 3-Aminoprop-2-enyl Thiocarbonyl and Related Compounds	213
11.15.4.1.2.1.1	Variation 1: From 3-Aminoprop-2-enethioamides or 3-Aminoprop-2-enyl Thioketones	213
11.15.4.1.2.1.2	Variation 2: From (1E)-N-Hydroxy-3,3-bis(methylsulfanyl)prop-2-en-1-imines	220
11.15.4.1.2.1.3	Variation 3: From 2-[(Diphenyl- λ^4 -sulfanylidene)amino]-4,4-dimethyl-6-oxocyclohex-1-ene-1-carbothioamides	221
11.15.4.1.2.2	Method 2: From Bis(3-amino-3-oxopropyl) Disulfides	222
11.15.4.1.2.3	Method 3: From 3-Chloroprop-2-enals	222
11.15.4.1.2.4	Method 4: From 2-Sulfanylvinyl Ketones and O-Sulfonylhydroxylamines ..	223
11.15.4.1.2.5	Method 5: From <i>tert</i> -Butyl 2-Cyano-1,3,3,3-tetrafluoropropenyl Sulfide ..	224
11.15.4.1.3	By Formation of One C—C Bond	224
11.15.4.1.3.1	Method 1: By Base-Promoted Intramolecular Cyclization	224
11.15.4.1.3.1.1	Variation 1: Of Methyl [(Benzylsulfonyl)amino](oxo)acetate	225
11.15.4.2	Synthesis by Ring Transformation	225
11.15.4.2.1	Method 1: From 4,5-Dichloro-1,2,3-dithiazolium Chloride and Methyl 3-Aminocrotonate	225
11.15.4.3	Synthesis by Substituent Modification	226
11.15.4.3.1	Substitution of Existing Substituents	226
11.15.4.3.1.1	Of Heteroatoms	226
11.15.4.3.1.1.1	Method 1: Electrophilic Substitution	226
11.15.4.3.1.1.2	Method 2: Nucleophilic Substitution	228
11.15.4.3.1.1.2.1	Variation 1: Of Isothiazol-3-amine 1,1-Dioxides	228
11.15.4.3.1.1.2.2	Variation 2: Of Aryl 4,5-Dichloroisothiazol-3-yl Ketones and Related Compounds	230
11.15.4.3.1.1.3	Method 3: Isothiazole-5-carbaldehydes and 5-Alkylisothiazoles from Isothiazol-5-yllithiums	232

11.15.4.3.1.1.4	Method 4:	Substitution of Halogens by Carbofunctional Groups	233
11.15.4.3.1.1.4.1	Variation 1:	Castro–Stevens Coupling	233
11.15.4.3.1.1.4.2	Variation 2:	Stille Coupling	233
11.15.4.3.1.1.4.3	Variation 3:	Suzuki- and Negishi-like Couplings	234
11.15.4.3.1.1.4.4	Variation 4:	Sonogashira and Ullmann Couplings	238
11.15.4.3.1.1.4.5	Variation 5:	Heck Coupling	239
11.15.4.3.2	Addition Reactions		240
11.15.4.3.2.1	Addition of Organic Groups		240
11.15.4.3.2.1.1	Method 1:	Annulation of a Heterocyclic Ring by 1,3-Dipolar Additions	240
11.15.4.3.2.1.2	Method 2:	O-Alkylation of Isothiazol-3(2 <i>H</i>)-ones	241
11.15.4.3.2.2	Addition of Heteroatoms		242
11.15.4.3.2.2.1	Method 1:	Oxidation	242
11.15.4.3.2.2.2	Method 2:	Amination	244
11.15.4.3.3	Modification of Substituents		245
11.15.4.3.3.1	Method 1:	From Acylthiazoles	245

11.16 Product Class 16: Benzisothiazoles

11.16.3	Benzisothiazoles	2010
	M. Sainsbury	
11.16.3	Benzisothiazoles	249
11.16.3.1	1,2-Benzisothiazoles	249
11.16.3.1.1	Synthesis by Ring-Closure Reactions	250
11.16.3.1.1.1	By Formation of One S—C and One C—C Bond	250
11.16.3.1.1.2	By Formation of One S—N and/or One N—C Bond	251
11.16.3.1.1.2.1	Method 1: From Thiols, Disulfides, and Related Compounds	251
11.16.3.1.1.2.2	Method 2: From Oximes	252
11.16.3.1.1.2.3	Method 3: From (Aminosulfonyl)arenes	252
11.16.3.1.1.2.4	Method 4: From Disulfides	255
11.16.3.1.1.2.5	Method 5: From 2-Acylbenzenesulfonamides or 2-(Sulfinyl)benzamides	255
11.16.3.1.2	Synthesis by Substituent Modification	260
11.16.3.1.2.1	Substitution of Existing Substituents	260
11.16.3.1.2.1.1	Nucleophilic Substitution	260
11.16.3.1.2.2	Addition Reactions	260
11.16.3.1.2.2.1	Addition of Organic Groups	260
11.16.3.1.2.2.1.1	Method 1: Alkylation of Saccharins	260
11.16.3.1.2.2.1.2	Method 2: Alkylation of 4,6-Dinitro-1,2-benzisothiazole or 4,6-Dinitro-1,2-benzisothiazol-3(2 <i>H</i>)-one	261
11.16.3.2	2,1-Benzisothiazoles	262
11.16.3.2.1	Synthesis by Ring Transformation	262

11.16.3.2.1.1	Method 1: From an Adduct of 3-Phenyl-2-thioxo-2,3-dihydrothieno[2,3- <i>d</i>]thiazol-6(5 <i>H</i>)-one and <i>N,N</i> -Dimethyl-4-nitrosoaniline	262
11.16.3.2.2	Synthesis by Substituent Modification	263
11.16.3.2.2.1	Substitution of Existing Substituents	263
11.16.3.2.2.1.1	Of Hydrogen	263
11.17	Product Class 17: Thiazoles	
11.17.6	Thiazoles 2010 P. A. Koutentis and H. A. Ioannidou	
11.17.6	Thiazoles	267
11.17.6.1	Synthesis by Ring-Closure Reactions	268
11.17.6.1.1	By Formation of Three Heteroatom—Carbon Bonds	268
11.17.6.1.1.1	By Formation of One S—C Bond and Two N—C Bonds	268
11.17.6.1.1.1.1	Fragments S—C, C—C, and N	268
11.17.6.1.1.1.1.1	Method 1: From α -Halo Ketones and Supported Reagents	268
11.17.6.1.2	By Formation of Two Heteroatom—Carbon Bonds and One C—C Bond	268
11.17.6.1.2.1	Fragments S—C, N—C, and C	268
11.17.6.1.2.1.1	Method 1: From Isothiocyanates, Cyanamide, and “Acidic” Methyl Halides	268
11.17.6.1.2.2	Fragments N—C—S, C, and C	269
11.17.6.1.2.2.1	Method 1: From Aldehydes, Haloforms, and Thiourea	269
11.17.6.1.2.2.2	Method 2: From Acid Chlorides, Ammonium Thiocyanate, Ethyl Bromopyruvate, and Tetramethylthiourea	270
11.17.6.1.2.3	Fragments C—N—C, C, and S	271
11.17.6.1.2.3.1	Method 1: From Dimethyl Cyanocarbonodithioimidoate, Activated Alkyl Halides, and a Sulfur Source	271
11.17.6.1.3	By Formation of Two Heteroatom—Carbon Bonds	272
11.17.6.1.3.1	Fragments C—C—N—C and S	272
11.17.6.1.3.1.1	Method 1: From <i>N</i> -Functionalized α -Aminonitriles	272
11.17.6.1.3.1.2	Method 2: From α -Acylamino Carbonyl Compounds	272
11.17.6.1.3.1.3	Method 3: From 2-Isocyanoacrylates	273
11.17.6.1.3.2	Fragments S—C—N and C—C	274
11.17.6.1.3.2.1	Method 1: From the Cyclocondensation of 1-Alkynyl(aryl)- λ^3 -iodanes with Aminothiocarbonyl Compounds	274
11.17.6.1.3.2.2	Method 2: From α -Functionalized Carboxylic Acid Derivatives and Aminothiocarbonyl Compounds	276
11.17.6.1.3.2.2.1	Variation 1: From α -Functionalized Carboxyl Derivatives and Aminothiocarbonyl Compounds	276

11.17.6.1.3.2.2	Variation 2:	From α -Functionalized Carbonitriles and Aminothiocarbonyl Compounds	277
11.17.6.1.3.2.3	Method 3:	From α,β -Unsaturated Carboxylic Acid Derivatives and Aminothiocarbonyl Compounds	278
11.17.6.1.3.2.4	Method 4:	From α -Functionalized Ketones or Ketone Derivatives and Aminothiocarbonyl Compounds	279
11.17.6.1.3.2.4.1	Variation 1:	From α -Diazo Ketones and Aminothiocarbonyl Compounds	279
11.17.6.1.3.2.4.2	Variation 2:	From α -Halo and α,α -Dihalo Ketones and Aminothiocarbonyl Compounds	280
11.17.6.1.3.2.4.3	Variation 3:	From α -Tosyloxy Ketones and Aminothiocarbonyl Compounds	282
11.17.6.1.3.2.4.4	Variation 4:	From α -Dimethylsulfonio Ketones and Aminothiocarbonyl Compounds	284
11.17.6.1.3.2.4.5	Variation 5:	From Ketones Halogenated In Situ and Aminothiocarbonyl Compounds	284
11.17.6.1.3.2.5	Method 5:	From α,β -Unsaturated Ketones and Aminothiocarbonyl Compounds	285
11.17.6.1.3.2.6	Method 6:	From α -Halo Aldehydes, Acetals, or Enol Ethers and Aminothiocarbonyl Compounds	286
11.17.6.1.3.2.6.1	Variation 1:	From α -Halo Aldehydes and Thioureas	286
11.17.6.1.3.2.6.2	Variation 2:	From Ethyl 3-Ethoxyacrylate and Thioureas	287
11.17.6.1.3.2.6.3	Variation 3:	From α -Halo Aldehydes and Thioamides	288
11.17.6.1.3.2.7	Method 7:	From Enamines and Aminothiocarbonyl Compounds	289
11.17.6.1.3.2.8	Method 8:	From 2,2,2-Trichloroethanols and Thioureas	290
11.17.6.1.3.2.9	Method 9:	From 3-Haloalk-1-enes or 3-Haloalk-1-yne and Aminothiocarbonyl Compounds	291
11.17.6.1.3.2.10	Method 10:	From α -Halo Carbonyl Compounds and Thiocyanates	291
11.17.6.1.3.2.11	Method 11:	From 1-Chloroalk-1-yne and Aminothiocarbonyl Compounds	292
11.17.6.1.3.2.12	Method 12:	From Allenes and Thioamides	293
11.17.6.1.3.3	Fragments C—C—S and C—N		293
11.17.6.1.3.3.1	Method 1:	From 2-Sulfanylalkanoic Acids or Derivatives and Nitriles	293
11.17.6.1.3.4	Fragments C—C—N and C—S		295
11.17.6.1.3.4.1	Method 1:	From α -Aminonitriles and Carbonyl Sulfide Sources	295
11.17.6.1.3.4.2	Method 2:	From α -Amino Acids and Thiocarboxylic Acid Esters	296
11.17.6.1.3.4.3	Method 3:	From Vinylamines and Chloroformylsulfenyl Chloride	296
11.17.6.1.3.4.4	Method 4:	From Alk-2-ynylamines and Carbon Disulfide	297
11.17.6.1.3.5	Fragments C—C—S—C and N		298
11.17.6.1.3.5.1	Method 1:	Cyclodehydration of <i>S</i> -(2-Oxoalkyl) Thioesters in the Presence of Ammonium Acetate	298
11.17.6.1.4	By Formation of One Heteroatom—Carbon and One C—C Bond		298
11.17.6.1.4.1	Fragments C—N—C—S and C		298
11.17.6.1.4.1.1	Method 1:	From Resin-Bound <i>N</i> -Cyanocarbonimidodithioate and Functionalized Methyl Halides	298
11.17.6.1.4.1.2	Method 2:	From <i>N</i> -Cyanocarbonimidodithioates and “Acidic” Methyl Halides	299

11.17.6.1.4.1.3	Method 3:	From <i>N</i> -Cyanoimidothiocarbamates and “Acidic” Methyl Halides	299
11.17.6.1.4.1.4	Method 4:	From <i>N</i> -(Diaminomethylene)- or <i>N</i> -[Amino(alkylsulfanyl)-methylene]thioureas and α -Halo Ketones	300
11.17.6.1.4.1.5	Method 5:	From <i>N</i> -(Aminomethylene)- or <i>N</i> -(Alkoxyethylene)thioureas and “Acidic” Methyl Halides	301
11.17.6.1.4.1.6	Method 6:	From <i>N</i> -Acylthioureas and “Acidic” Methyl Halides	302
11.17.6.1.4.1.7	Method 7:	From <i>N</i> -(Aminomethylene)- or <i>N</i> -(Hydroxymethylene)thioamides and “Acidic” Methyl Halides	303
11.17.6.1.4.2	Fragments C—N—C and S—C		304
11.17.6.1.4.2.1	Method 1:	From <i>N</i> -Cyanoimidothioates and Sulfanylacetic Acid Derivatives	304
11.17.6.1.4.2.2	Method 2:	From Alkyl Isocyanides and S—C Synthons	305
11.17.6.1.4.2.3	Method 3:	From <i>G</i> -Aryl- <i>N</i> -methylglycines and S—C Synthons	305
11.17.6.1.5	By Formation of One Heteroatom—Carbon Bond		306
11.17.6.1.5.1	By Formation of One S—C Bond		306
11.17.6.1.5.1.1	Fragment C—C—N—C—S		306
11.17.6.1.5.1.1.1	Method 1:	From <i>N</i> -Thiocarbonyl α -Amino Acids and Derivatives	306
11.17.6.1.5.1.1.2	Method 2:	From α -(Thioacylamino)carbothioamides	307
11.17.6.1.5.1.1.3	Method 3:	From α -Thioacylamino Acetals or α -(Thioacylamino)aldehydes	308
11.17.6.1.5.1.1.4	Method 4:	From <i>N</i> - α -Haloacyl Isothiocyanates	309
11.17.6.1.5.1.1.5	Method 5:	From Allenyl Isothiocyanates	310
11.17.6.1.5.1.1.6	Method 6:	From <i>N</i> -[2,2-Dichloro-2-phenyl-1-(thioacetyl-amino)ethyl]-benzenesulfonamide	311
11.17.6.1.5.1.1.7	Method 7:	From β -Hydroxy Thioamides	311
11.17.6.1.5.1.1.8	Method 8:	From <i>N</i> -(2-Bromoalk-2-enyl)thioamides	312
11.17.6.1.5.1.1.9	Method 9:	From 2,2-Dichloro-1-tosylvinyl Isothiocyanate and Various Nucleophiles	313
11.17.6.1.5.1.2	Fragment C—N—C—C—S		314
11.17.6.1.5.1.2.1	Method 1:	From Di- and Tripeptides	314
11.17.6.1.5.1.2.2	Method 2:	From Thiamine Disulfides	315
11.17.6.1.5.2	By Formation of One N—C Bond		317
11.17.6.1.5.2.1	Fragment C—C—S—C—N		317
11.17.6.1.5.2.1.1	Method 1:	From α -Thiocyanato Carboxylic Acids and Derivatives	317
11.17.6.1.5.2.1.2	Method 2:	From α -Imidoysulfanyl Ketones	318
11.17.6.1.5.2.1.3	Method 3:	From α -Thiocyanato Ketones	318
11.17.6.1.5.2.1.4	Method 4:	From <i>S</i> -Alkynylisothiuronium or Thiobenzimidonium Salts and Base	319
11.17.6.1.5.2.1.5	Method 5:	From 3-Aryl-2-thiocyanatopropanenitriles	320
11.17.6.1.5.2.1.6	Method 6:	From 3-Thiocyanatoprop-1-ynes	321
11.17.6.1.5.2.2	Fragment C—S—C—C—N		321
11.17.6.1.5.2.2.1	Method 1:	From 2-(Hydroxyimino)alkyl Dithiocarbonates	321
11.17.6.1.5.2.2.2	Method 2:	From β -Thiocyanatoenamines	322

11.17.6.1.6	By Formation of One C—C Bond	323
11.17.6.1.6.1	Fragment C—S—C—N—C	323
11.17.6.1.6.1.1	Method 1: From <i>N</i> -(1-Amino-2,2,2-trichloroethylidene)isothioureas	323
11.17.6.1.6.1.2	Method 2: From Alkyl <i>N</i> -Acylthioimidates	323
11.17.6.2	Synthesis by Ring Transformation	324
11.17.6.2.1	Method 1: By Ring Enlargement of Three-Membered Heterocycles	324
11.17.6.2.2	Method 2: By Formal Exchange of Ring Atoms with Retention of Ring Size	325
11.17.6.2.3	Method 3: By Ring Contraction of Heterocycles	326
11.17.6.3	Aromatization	327
11.17.6.3.1	Method 1: By Dehydration of Dihydrothiazoles	327
11.17.6.3.2	Method 2: Aromatization by Addition Reactions	328
11.17.6.3.2.1	Variation 1: Nucleophilic Additions to Exocyclic Double Bonds	328
11.17.6.3.2.2	Variation 2: <i>S</i> -Alkylation of Thiazole-2(3 <i>H</i>)-thiones	329
11.17.6.3.2.3	Variation 3: <i>S</i> -Alkylation and <i>N</i> -Elimination of 3-Substituted Thiazole-2(3 <i>H</i>)-thiones	330
11.17.6.3.2.4	Variation 4: <i>N</i> -Alkylation of 3-Substituted Thiazol-2(3 <i>H</i>)-imines	330
11.17.6.3.3	Method 3: Elimination of Sulfur from Thiazole-2(3 <i>H</i>)-thiones	331
11.17.6.3.4	Method 4: Base-Induced Conversion of 4,5-Dihydrothiazoles into Thiazoles	332
11.17.6.3.5	Method 5: Oxidation of 4,5-Dihydrothiazoles	333
11.17.6.3.6	Method 6: Oxidation of Thiazolidines	334
11.17.6.3.7	Method 7: Aromatization by Rearrangement (Isomerization)	335
11.17.6.4	Synthesis from Other Thiazoles	336
11.17.6.4.1	Addition Reactions	336
11.17.6.4.1.1	Method 1: Quaternization	336
11.17.6.4.1.2	Method 2: Formation of Thiazole 3-Oxides	337
11.17.6.4.2	Synthesis by Substituent Modification	337
11.17.6.4.2.1	Method 1: Replacement of Hydrogen by Deuterium	337
11.17.6.4.2.2	Method 2: Replacement of Hydrogen by Metals	338
11.17.6.4.2.2.1	Variation 1: Replacement of Hydrogen by Magnesium or Zinc	338
11.17.6.4.2.2.2	Variation 2: Replacement of Hydrogen by Silicon or Tin	339
11.17.6.4.2.2.3	Variation 3: Replacement of Hydrogen by Boron	340
11.17.6.4.2.3	Method 3: Replacement of Hydrogen by Carbon Electrophiles	341
11.17.6.4.2.4	Method 4: Replacement of Hydrogen by Non-Carbon Electrophiles	345
11.17.6.4.2.4.1	Variation 1: Halogenation of Thiazoles	345
11.17.6.4.2.4.2	Variation 2: Introduction of Sulfo or Thiocyanato Groups	346
11.17.6.4.2.4.3	Variation 3: Introduction of Alkylsulfanyl or Arylsulfanyl Groups	347
11.17.6.4.2.4.4	Variation 4: Nitration of Thiazoles	348
11.17.6.4.2.4.5	Variation 5: Introduction of Arylazo Groups	349
11.17.6.4.2.4.6	Variation 6: Replacement of Hydrogen by Phosphorus	350
11.17.6.4.2.5	Method 5: Introduction of Amino Groups	350
11.17.6.4.3	Synthesis of Thiazoles from Metalated Thiazoles	352

11.17.6.4.3.1	Method 1:	Replacement of Lithium, Magnesium, or Zinc by Carbon Electrophiles	352
11.17.6.4.3.2	Method 2:	Replacement of Silyl Groups by Hydrogen	353
11.17.6.4.3.3	Method 3:	Replacement of Silyl or Stannyl Groups by Carbon Electrophiles	354
11.17.6.4.3.4	Method 4:	Replacement of Stannyl Groups by Halogens	357
11.17.6.4.3.5	Method 5:	Replacement of Metals by Other Groups	358
11.17.6.4.3.5.1	Variation 1:	Replacement of Lithium by Sulfur-Containing Reagents	358
11.17.6.4.3.6	Method 6:	Modification of Other Substituents	359
11.17.6.4.3.6.1	Variation 1:	Decarboxylation of Thiazolecarboxylic Acids and -carboxylates	359
11.17.6.4.3.6.2	Variation 2:	Replacement of a Carbon Substituent by Nitrogen	360
11.17.6.4.3.6.3	Variation 3:	Replacement of a Carbon Substituent by Halogen	360
11.17.6.4.3.6.4	Variation 4:	Replacement of a Nitrogen Substituent by Hydrogen	361
11.17.6.4.3.6.5	Variation 5:	Replacement of a Nitrogen Substituent by Carbon	361
11.17.6.4.3.6.6	Variation 6:	Replacement of One Nitrogen Substituent by Another	362
11.17.6.4.3.6.7	Variation 7:	Replacement of Nitrogen Substituents by Halogens	362
11.17.6.4.3.6.8	Variation 8:	Replacement of Oxygen or Sulfur Groups by Hydrogen	363
11.17.6.4.3.6.9	Variation 9:	Replacement of Oxygen or Sulfur Groups by Carbon-Containing Substituents	364
11.17.6.4.3.6.10	Variation 10:	Replacement of Oxygen or Sulfur Substituents by Nitrogen ..	366
11.17.6.4.3.6.11	Variation 11:	Replacement of Oxygen or Sulfur Substituents by Halogen ..	367
11.17.6.4.3.6.12	Variation 12:	Replacement of Oxygen Substituents by Sulfur	368
11.17.6.4.3.6.13	Variation 13:	Replacement of Sulfur Substituents by Oxygen	368
11.17.6.4.3.6.14	Variation 14:	Replacement of One Sulfur Substituent by Another	369
11.17.6.4.3.6.15	Variation 15:	Replacement of Halogen by Hydrogen	370
11.17.6.4.3.6.16	Variation 16:	Replacement of Halogen by Carbon Nucleophiles	370
11.17.6.4.3.6.17	Variation 17:	Replacement of Halogen by Nitrogen Substituents	371
11.17.6.4.3.6.18	Variation 18:	Replacement of Halogen by Oxygen or Sulfur Substituents ..	372
11.17.6.4.3.6.19	Variation 19:	Replacement of Halogen by Tin or Boron Substituents	372
11.17.6.5	Modification of Substituents		374
11.17.6.5.1	Modification of Carbofunctional Substituents		374
11.17.6.5.1.1	Method 1:	Condensation at Alkyl Groups of Alkylthiazoles	374
11.17.6.5.1.2	Method 2:	Other Transformations of Carbofunctional Substituents of Thiazoles	374
11.17.6.5.2	Modification of Heterofunctional Substituents		376
11.17.6.5.2.1	Method 1:	Modification of O- and S-Substituents	376
11.17.6.5.3	Rearrangement of Substituents		377

11.18	Product Class 18: Benzothiazoles and Related Compounds	
11.18.5	Benzothiazoles	2010
	H. Ulrich	
11.18.5	Benzothiazoles	393
11.18.5.1	Synthesis by Ring-Closure Reactions	394
11.18.5.1.1	By Annulation to an Arene or Heteroarene Ring	394
11.18.5.1.1.1	By Formation of One S—C and One N—C Bond	394
11.18.5.1.1.1.1	Method 1: From 2-Amino(het)arenethiols	394
11.18.5.1.1.1.1.1	Variation 1: With Cyanamides	394
11.18.5.1.1.1.1.2	Variation 2: With Anhydrides	394
11.18.5.1.1.1.1.3	Variation 3: With Carboxylic Acids	394
11.18.5.1.1.1.1.4	Variation 4: With Aldehydes	395
11.18.5.1.1.2	By Formation of One S—C Bond	397
11.18.5.1.1.2.1	Method 1: From <i>N</i> -Arylthioureas	397
11.18.5.1.1.2.1.1	Variation 1: With a Leaving Group in the 2-Position	397
11.18.5.1.1.2.2	Method 2: From <i>N</i> -Arylthioamides	398
11.18.5.1.1.2.2.1	Variation 1: From 2-Unsubstituted <i>N</i> -Arylthioamides	398
11.18.5.1.1.2.2.2	Variation 2: From <i>N</i> -Arylthioamides with a Halogen or Hydroxy Leaving Group in the 2-Position	400
11.18.5.1.1.2.2.3	Variation 3: In Situ Formation from Amides	401
11.18.5.1.1.2.3	Method 3: From <i>ortho</i> -Nitrogen-Functionalized Aryl Disulfides	402
11.18.5.2	Synthesis by Substituent Modification	403
11.18.5.2.1	Substitution of Existing Substituents	403
11.18.5.2.1.1	Of Heteroatoms	403
11.18.5.2.1.1.1	Method 1: By Hetero Functions	403
11.20	Product Class 20: Isoselenazoles	
11.20.3	Isoselenazoles	2010
	K. Shimada	
11.20.3	Isoselenazoles	405
11.20.3.1	Synthesis by Ring-Closure Reactions	405
11.20.3.1.1	By Formation of One Se—N, One Se—C, and One N—C Bond	405
11.20.3.1.1.1	Fragments C—C—C, N, and Se	405
11.20.3.1.1.1.1	Method 1: Reaction of α,β -Unsaturated β -Chloroaldehydes with Potassium Selenocyanate and Ammonium Chloride	405
11.20.3.1.2	By Formation of One Se—N and One N—C Bond	407
11.20.3.1.2.1	Fragments Se—C—C—C and N	407

11.20.3.1.2.1.1	Method 1:	Reaction of 4-(Methylselanyl)- or 4-(Phenylselanyl)-1,1,1-trihaloalk-3-en-2-ones with Bromine and Ammonia	407
11.20.3.1.2.1.2	Method 2:	Reaction of β -[(<i>N,N</i> -Dimethylcarbamoyl)selanyl]alkenyl Ketones and Hydroxylamine- <i>O</i> -sulfonic Acid	408
11.20.3.1.3	By Formation of One Se—N and One Se—C Bond		408
11.20.3.1.3.1	Fragments N—C—C and Se		408
11.20.3.1.3.1.1	Method 1:	Reaction of Alkynone Oxime 4-Toluenesulfonates with Sodium Hydrogen Selenide or <i>N,N</i> -Dimethylselenocarbamate Ion	408
11.20.3.2	Synthesis by Substituent Modification		409
11.20.3.2.1	Modification of Substituents		409
11.20.3.2.1.1	Method 1:	Reaction of 3-(Trichloromethyl)isoselenazoles with Sulfuric Acid	409

11.21 **Product Class 21: Annulated Isoselenazole Compounds**

11.21.5	Annulated Isoselenazole Compounds	2010	
	K. Shimada		
11.21.5	Annulated Isoselenazole Compounds	413	
11.21.5.1	Synthesis by Ring-Closure Reactions		413
11.21.5.1.1	By Formation of One Se—N and One N—C Bond		413
11.21.5.1.1.1	Fragments Se—Arene—C and N		413
11.21.5.1.1.1.1	Method 1:	Reaction of 2-(Chloroselanyl)benzoyl Chloride with 4-Aminobenzoic Acid	413
11.21.5.1.2	By Formation of One Se—N Bond		414
11.21.5.1.2.1	Fragment Se—Arene—C—N		414
11.21.5.1.2.1.1	Method 1:	<i>ortho</i> -Metalation of Isophthalamides, Selenation, and Subsequent Oxidation	414

11.22 **Product Class 22: Selenazoles**

11.22.4	Selenazoles	2010	
	K. Shimada		
11.22.4	Selenazoles	417	
11.22.4.1	Synthesis by Ring-Closure Reactions		417
11.22.4.1.1	By Formation of Two Se—C Bonds and One C—C Bond		417
11.22.4.1.1.1	Fragments C—N—C, Se, and C		417
11.22.4.1.1.1.1	Method 1:	Reaction of Dithioimidocarbonates with Secondary Amines, Sodium Selenide, and Haloalkanes	417

11.22.4.1.2	By Formation of One Se—C and One N—C Bond	419
11.22.4.1.2.1	Fragments Se—C—N and C—C	419
11.22.4.1.2.1.1	Method 1: Reaction of Selenocarboxamides with α -Halocarbonyl Compounds	419
11.22.4.1.2.1.1.1	Variation 1: Reaction of Selenocarboxamides with α -Bromo Ketones	419
11.22.4.1.2.1.1.2	Variation 2: Reaction of Selenoformamide with α -Bromo Ketones	421
11.22.4.1.2.1.1.3	Variation 3: Reaction of Cyanoselenoamide or Bis(selenoamides) with α -Halocarbonyl Compounds	422
11.22.4.1.2.1.2	Method 2: Reaction of Selenocarboxamides with Acetylenic Compounds	423
11.22.4.1.2.1.3	Method 3: Cycloaddition of Selenocarboxamides with Selanyl Propadienyl Cations	424
11.22.4.1.2.1.4	Method 4: From Selenoureas and α -Halocarbonyl Compounds	425
11.22.4.1.2.1.4.1	Variation 1: Reaction of <i>N</i> -Phenylselenourea with 1,3-Dichloroacetone	425
11.22.4.1.2.1.4.2	Variation 2: Reaction of Selenourea or <i>N</i> -Benzoylselenourea with α -Halocarbonyl Compounds	428
11.22.4.1.2.1.4.3	Variation 3: Reaction of Selenourea with α -Bromo Ketones in the Presence of β -Cyclodextrin	429
11.22.4.1.2.1.4.4	Variation 4: Reaction of Selenourea with α -Bromo- β -oxo Esters in the Presence of β -Cyclodextrin	430
11.22.4.1.2.1.4.5	Variation 5: Reaction of Selenourea with α -Bromo Ketones in the Presence of Copper(II) Chloride–Pyridine Complex	431
11.22.4.1.2.1.4.6	Variation 6: Reaction of Selenourea with 1-Aryl-2-bromoethanones in an Ionic Liquid/Water System	432
11.22.4.1.2.1.5	Method 5: From Selenoureas and α,β -Unsaturated Carbonyl Compounds	434
11.22.4.1.2.1.5.1	Variation 1: Reaction of <i>N,N</i> -Dialkylselenoureas with α,β -Unsaturated Ketones in the Presence of Iron(III) Chloride	434
11.22.4.1.2.1.5.2	Variation 2: Reaction of <i>N,N</i> -Dialkylselenoureas with α,β -Unsaturated Aldehydes in the Presence of Iron(III) Chloride	435
11.22.4.1.2.1.5.3	Variation 3: Reaction of <i>N,N</i> -Dialkylselenoureas with 1,2-Dicarbonyl Compounds in the Presence of Iron(III) Chloride	435
11.22.4.1.2.1.6	Method 6: From Selenoureas and α -Haloacetonitriles	436
11.22.4.1.2.1.7	Method 7: From Selenoureas and Acetylenic Compounds	438
11.22.4.1.3	By Formation of One Se—C and One C—C Bond	438
11.22.4.1.3.1	Fragments Se—C—N—C and C	438
11.22.4.1.3.1.1	Method 1: From Selenazadienes and α -Halocarbonyl Compounds	438
11.22.4.1.3.1.1.1	Variation 1: Reaction of <i>N,N</i> -Dialkyl- <i>N'</i> -[(dimethylamino)methylene]-selenoureas with Chloroacetyl Chloride	438
11.22.4.1.3.1.1.2	Variation 2: Reaction of <i>N,N</i> -Dialkyl- <i>N'</i> -[(dimethylamino)methylene]-selenoureas and α -Halo Ketones	441
11.22.4.1.3.1.2	Method 2: From Selenazadienes and Chloroacetonitrile	442
11.22.4.1.3.2	Fragments C—N—C and Se—C	443
11.22.4.1.3.2.1	Method 1: From Dithioimidocarbonates and Ethaneselenothioates	443
11.22.4.1.4	By Formation of One C—C Bond	445
11.22.4.1.4.1	Fragment C—Se—C—N—C	445
11.22.4.1.4.1.1	Method 1: Cyclization of <i>N</i> -Acylcarbamimidoselenoates	445

11.22.4.2	Synthesis by Substituent Modification	446
11.22.4.2.1	By Halogenation and Alkylation of the Selenium Atom	446
11.22.4.2.1.1	Method 1: From Selenazoles to 1,1-Dihaloselenazoles and Se-Alkylselenazolium Ions	446
11.22.4.2.2	Synthesis by Modification of Substituents in the Side Chain	448
11.22.4.2.2.1	Method 1: Oxidation of 2-Benzylselenazoles and Subsequent Alkaline Hydrolysis	448
11.22.4.2.2.2	Method 2: Azo Coupling of Substituted Selenazol-2-amines	451
11.23	Product Class 23: Annulated Selenazole Compounds	
11.23.3	Annulated Selenazole Compounds	2010
	K. Shimada	
11.23.3	Annulated Selenazole Compounds	455
11.23.3.1	Synthesis by Ring-Closure Reactions	455
11.23.3.1.1	By Annulation to an Arene	455
11.23.3.1.1.1	By Formation of Two Se—C Bonds	455
11.23.3.1.1.1.1	Fragments Arene—N—C and Se	455
11.23.3.1.1.1.1.1	Method 1: From 2-Halophenyl Isocyanides, Elemental Selenium, and Heteroatom Nucleophiles	455
11.23.3.1.2	By Annulation to a Selenazole	456
11.23.3.1.2.1	Method 1: Formation of 4-Chloro-1,2,3-triazines	456
11.23.3.2	Synthesis by Substituent Modification	457
11.23.3.2.1	Method 1: Modification of the Benzo Ring by Amination, Oxidation, and Substitution	457
11.23.3.2.2	Method 2: Modification of the Selenazole Ring by N-Alkylation and C—C Bond Formation on a Methyl Group at the C2 Position	458
11.23.3.2.2.1	Variation 1: Condensation with Ortho Esters or Imidamides	458
11.23.3.2.2.2	Variation 2: Condensation with Squaric Acid	461
11.23.3.2.2.3	Variation 3: Condensation with a Thiazole-5-carbaldehyde	463
11.25	Product Class 25: Isotellurazoles, and Annulated Isotellurazole and Tellurazole Compounds	
11.25.4	Isotellurazoles, and Annulated Isotellurazole and Tellurazole Compounds	2010
	K. Shimada	
11.25.4	Isotellurazoles, and Annulated Isotellurazole and Tellurazole Compounds	467
11.25.4.1	Isotellurazoles (1,2-Tellurazoles)	467
11.25.4.1.1	Synthesis by Ring-Closure Reactions	467

11.25.4.1.1.1	By Formation of One Te—N and One N—C Bond	467
11.25.4.1.1.1	Fragments Te—C—C—C and N	467
11.25.4.1.1.1.1	Method 1: Reaction of β -[(<i>N,N</i> -Dimethylcarbamoyl)tellanyl]alkenyl Ketones with Hydroxylamine- <i>O</i> -sulfonic Acid	467
11.25.4.1.1.2	By Formation of One Te—N and One Te—C Bond	469
11.25.4.1.1.2.1	Fragments N—C—C—C and Te	469
11.25.4.1.1.2.1.1	Method 1: Reaction of Alkynone Oxime 4-Toluenesulfonates with <i>N,N</i> -Dimethyltellurocarbamate Ion	469
11.25.4.2	1,2-Benzisotellurazoles	470
11.25.4.2.1	Synthesis by Ring-Closure Reactions	470
11.25.4.2.1.1	By Formation of One N—Te Bond	470
11.25.4.2.1.1.1	Fragment Te—Arene—C—N	470
11.25.4.2.1.1.1.1	Method 1: <i>ortho</i> -Metalation of Isophthalamides, Telluration, and Subsequent Oxidation	470
11.25.4.3	Benzotellurazoles	471
11.25.4.3.1	Synthesis by Ring-Closure Reactions	471
11.25.4.3.1.1	By Formation of Two Te—C Bonds	471
11.25.4.3.1.1.1	Fragments Arene—N—C and Te	471
11.25.4.3.1.1.1.1	Method 1: Copper(I)-Catalyzed Reaction of 2-Iodophenyl Isocyanide with Tellurium and an Amine Nucleophile	471

Volume 16: Six-Membered Hetarenes with Two Identical Heteroatoms

16.20	Product Class 20: Pyridopyrazines	
16.20.3	Pyridopyrazines	2010
	J. Zhang	
16.20.3	Pyridopyrazines	473
16.20.3.1	Pyrido[2,3- <i>b</i>]pyrazines	475
16.20.3.1.1	Synthesis by Ring-Closure Reactions	475
16.20.3.1.1.1	By Formation of Two N—C Bonds	475
16.20.3.1.1.1.1	Method 1: Condensation of Pyridine-2,3-diamines with Dicarbonyl Compounds	475
16.20.3.1.1.1.2	Method 2: Reaction of Pyridine-2,3-diamine with Alloxane or Epoxides	478
16.20.3.1.1.1.3	Method 3: Reaction of Pyridine-2,3-diamine with Ethoxy(imino)acetates	479
16.20.3.1.1.2	By Formation of One N—C Bond	479

16.20.3.1.1.2.1	Method 1: Phosphoryl Chloride Mediated Heteroannulation of <i>N,S</i> -Acetals	479
16.20.3.1.2	Synthesis by Substituent Modification	480
16.20.3.2	Pyrido[3,4- <i>b</i>]pyrazines	482
16.20.3.2.1	Synthesis by Ring-Closure Reactions	482
16.20.3.2.1.1	By Formation of Two N—C Bonds	482
16.20.3.2.1.1.1	Method 1: Condensation of Pyridine-3,4-diamines with Dicarbonyl Compounds	482
16.20.3.2.2	Synthesis by Substituent Modification	483

Volume 31:
Arene—X (X = Hal, O, S, Se, Te, N, P)

31.4 **Product Class 4: Aryl Iodine Compounds**

31.4.2.2	Iodoarenes S. R. Waldvogel	2010
31.4.2.2	Iodoarenes	487
31.4.2.2.1	Synthesis of Iodoarenes	487
31.4.2.2.1.1	Method 1: Electrophilic Iodination	487
31.4.2.2.1.1.1	Variation 1: Of Fluorophenols	487
31.4.2.2.1.2	Method 2: Iodination by Hunsdiecker-Type Decarboxylation	490
31.4.2.2.1.2.1	Variation 1: Using Classical Reagents (Silver, Mercury, or Thallium Salts)	490
31.4.2.2.1.2.2	Variation 2: Using the Barton Modification	491
31.4.2.2.1.3	Method 3: Iodination of Quinones	492
31.4.2.2.1.3.1	Variation 1: Using an Iodine Addition–Elimination Sequence	492
31.4.2.2.1.3.2	Variation 2: Using an Addition–Oxidation Sequence	495
31.4.2.2.1.3.3	Variation 3: Using Hypervalent Iodine Compounds	496
	Author Index	499
	Abbreviations	529